

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/927,321	08/10/2001	Dirk Walther	ICYTP011	4696
	590 12/29/2003		EXAMINER	
BEYER WEAVER & THOMAS LLP P.O. BOX 778			MAHATAN, CHANNING	
BERKELEY, CA 94704-0778			ART UNIT	PAPER NUMBER
			1631	
			DATE MAILED: 12/29/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Alia-4i No	Andinada				
	Application No.	Applicant(s)				
Office Action Summary	09/927,321	WALTHER ET AL.				
omoc Addon Cummary	Examiner	Art Unit				
The MAII ING DATE of this communication ann	Channing S Mahatan	1631				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period was a Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). Status	66(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
1) Responsive to communication(s) filed on <u>03 November 2003</u> .						
2a) This action is FINAL . 2b) ☑ This a	action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-61</u> is/are pending in the application.						
4a) Of the above claim(s) <u>29-61</u> is/are withdrawn from consideration.						
5) Claim(s) <u>1-4,10-14 and 20-23</u> is/are allowed.						
6)⊠ Claim(s) <u>5-9,15-19 and 24-28</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) <u>1-61</u> are subject to restriction and/or election requirement.						
Application Papers						
9) The specification is objected to by the Examiner						
10)⊠ The drawing(s) filed on 10 August 2001 and 18	<u>December 2001</u> is/are: a)⊠ acc	epted or b) objected to by the				
Examiner.						
Applicant may not request that any objection to the o	•	• •				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. §§ 119 and 120						
12)						
Attachment(s)	∧ □					
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449) Paper No(s) <u>2.5</u> 	5) Notice of Informal Pa	(PTO-413) Paper No(s) atent Application (PTO-152)				

Application/Control Number: 09/927,321

Art Unit: 1631

DETAILED ACTION

APPLICANTS' ELECTION

Applicants' election without traverse of Group I (claims 1-28; drawn to a method, computer program product, and computing device for determining a sequence of a nucleic acid polymer) is acknowledged. Claims 29-61 are withdrawn from examination as not directed to the elected invention.

CLAIMS UNDER EXAMINATION

Claims herein under examination are claims 1-28.

Claims Rejected Under 35 U.S.C. § 112 2nd Paragraph

The following is a quotation of the second paragraph of 35 U.S.C. § 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 5-9, 15-19, and 24-28 are rejected under 35 U.S.C. § 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Vague And Indefinite

Claims 5 (line 2), 15 (line 2), and 24 (line 2) contain the trademark/trade name MegaBACE. Where a trademark or trade name is used in a claim as a limitation to identify or describe a particular material or product, the claim does not comply with the requirements of 35 U.S.C. 112, second paragraph. See *Ex parte Simpson*, 218 U.S.P.Q. 1020 (Bd. App. 1982). The claim scope is uncertain since the trademark or trade name cannot be used properly to identify any particular material or product. A trademark or trade name is used to identify a source of goods, and not the goods themselves. Thus, a trademark or trade name does not identify or

Application/Control Number: 09/927,321

Art Unit: 1631

describe the goods associated with the trademark or trade name. In the present case, the trademark/trade name is used to identify/describe a capillary sequencing machine and, accordingly, the identification/description is indefinite.

Claims 6, 16, 25, and all claims dependent therefrom recites the further limitation of "generating at least one quality score for at least one basecall" which is confusing. Instant claims 1, 11, and 20 recite the final limitation (i.e. step) "determining the sequence of the nucleic acid polymer by assigning basecalls to the peaks. It is acknowledged the specification discloses basecall assignment to peaks as:

"...base calling is conducted, i.e., the determined peaks are assigned a base. Basecalls are assigned to all detected local maxima of LT according to:

(5)
$$Base = \max_{base=A,C,G,T} (S_{base}) \text{ with } S_{base} = R[base,loc] * A[base,loc] / \sum_{j=1}^{4} A[j,loc])$$

where R(base,loc) are the peak shape factors obtained from Eq. 1, A is the area underneath a trace in a window of 7 trace pixels centered at loc. Effectively, the base with the maximal fractional area at a given peak location is chosen weighted by how peak-like the trace of a given base is (factor R). If the assigned base is the third or fourth base when traces are sorted according to decreasing fractional area at the current location alone (without factor R), an "N" (for not determined) is assigned to the current peak." (page 14, lines 6-17 of the Specification).

Further, the specification discloses the calculation of quality scores and states:

"Equally important as the actual basecalls are associated quality scores that allow an assessment of the reliability of the call and to discriminate high-quality from low-quality calls. The present invention distinguishes between two different quality scores: the quality of the call, and the quality of the space between calls (gap-quality) as an indication that a true base may not have been called. The gap-quality score provides an estimate of the probability that a basecall has been missed, i.e.,

Art Unit: 1631

a probability that a deletion error has occurred during base calling. Use of the gap-quality score in the alignment process provides improved results by allowing accurate assignment of deletion errors during alignment. As such, the gap-quality may be used to identify deletion SNPs (Single Nucleotide Polymorphisms) where a potential base deletion needs to be distinguished reliably from a basecall error." (page 14, lines 20-29 of the Specification).

However, the "further comprising" limitations of claims 6, 16, and 25 are confusing since the specification indicates quality scores (i.e. gap quality) simply assesses the basecall and fails to indicate any utilization of quality scores in the determination of the sequence of the nucleic acid polymer by assigning basecalls to the peaks. Clarification of the metes and bounds, via clearer claim language, is requested.

EXAMINER'S COMMENT

For the purposes of any applicable prior art the Examiner has interpreted "cross-correlation coefficient" and "ideal, Gaussian-shaped peak" as being limited to:

"The cross-correlation coefficient r is computed as:

(2)
$$r = (1/(N+1)) \sum_{i} \left\{ \frac{(T[base,loc-i] - MP(i)) * (T[base,loc-i] - MP(i))}{\sigma_{T}\sigma_{MP}} \right\};$$
with $-1 \le r \le +1$; and $-N/2 \le i \le +N/2$

where σ_T and σ_{MP} are standard deviations of T and MP, respectively. N is the number of trace locations in the considered segment, preferably, N = 6, i.e. a window of 7 trace points. If the number of trace points per initially assigned base call before quality filtering drops below 7, N is adjusted to N = 4 to account for somewhat undersampled chromatograms. r is set to zero for both of the terminal 3 trace points.

"The model peak is taken as an ideal Gaussian with:

(3)
$$MP(i) = \frac{1}{\sqrt{2\pi\sigma}} \exp(-\frac{1}{2} \left(\frac{i}{\sigma}\right)^2)$$

The specification discloses "cross-correlation coefficient" and "ideal, Gaussian-shaped peak" are limited to the above; no other information is provided. Given the above limitations no applicable prior art was found.

ALLOWABLE CLAIMS

Claims 1-4, 10-14, and 20-23 are found allowable.

EXAMINER INFORMATION

Papers related to this application may be submitted to Technical Center 1600 by facsimile transmission. Papers should be faxed to Technical Center 1600 via the PTO Fax Center located in Crystal Mall 1. The faxing of such papers must conform with the notices published in the Official Gazette, 1096 OG 30 (November 15, 1988), 1156 OG 61 (November 16, 1993), and 1157 OG 94 (December 28, 1993) (See 37 C.F.R. § 1.6(d)). The CM1 Fax Center number is either (703) 872-9306.

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Channing S. Mahatan whose telephone number is (703) 308-2380 (until 12 January 2004) and (571) 272-0717 (after 12 January 2004). The Examiner can normally be reached on M-F (8:30-5:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael P. Woodward, Ph.D., can be reached on (703) 308-4028.

Any inquiry of a general nature or relating to the status of this application should be directed to Legal Instruments Examiner, Tina M. Plunkett, whose telephone number is (703) 305-3524 or to the Technical Center receptionist whose telephone number is (703) 308-0196.

Application/Control Number: 09/927,321

Art Unit: 1631

Page 6

Date: Decuber 23, 2003
Examiner Initials: CSM

MARIANNE P. ALLEN PRIMARY EXAMINER

A41631